

ACCESSORIES 2022

GREETINGS FROM SWEDEN



ARKIP 530 BR • ARKIP 460 • SPORTSMAN 445 B/M/C • SPORTSMAN 400 • SPORTSMAN 355 • FISHING 440 • FISHING 410
INKAS 525 • INKAS 495 • INKAS 465 • INKAS 465L



Aluminium boats

ALUMINIUM BOATS FROM SMÅLAND

A FORM-STRETCHED HULL

Aluminium has yet another major advantage as regards, for example, designing bodywork, beams and, as here, hulls – it is exceedingly formable.

Linder aluminium boats are made using so-called “form stretching”. The sheet metal for the hull is shaped (stretched) around a form. This form produces the familiar, soft and harmonic lines that constitute one of our trademarks. This forming technology saves energy because it tempers most of our aluminium alloys. Consequently, the sheets do not need to be heat hardened.

Where other manufacturers use welding, or in the worst cases, riveting to join hull sections, Linder has a different approach. We join both sections using screws and a unique keel profile. The seal is so precise that, as neither light nor oxygen can get to the sealing compound, there is no ageing. Our production methods give a superior finish that has fewer joins and thus reduces the risks of leaks and wear.

LINDER ORIGINAL ACCESSORIES

Linder Original is a vast range of the highest quality functional accessories that make owning a Linder even easier. A cover, a replacement for a lost drain plug, motor mounts, oars, paddles... Or why not treat yourself to a solar cell unit for a Fishing 440?

Use this range guide to select the boat or canoe of your choice. All standard equipment is included in your purchase. This is an area where we often outperform our competitors. You can, of course, also select from the accessories in this guide.


www.linder.se

Visit our website for even more information and the latest news.



Our boats and canoes are approved by DNV – Det Norske Veritas (www.dnvgl.com). Our boats are Securmark security marked. Securmark offers Scandinavia’s most complete system for boat marking. Boats are marked with small microdots that contain an ID number. They are located at several places in the boat [www.securmark.se]. All costs for registering this security marking are paid by Linder. All you have to do is register your boat (over the internet or using the form that comes with the boat).

ARKIP 530 BR*



With a double hull and gunwale, a motor boat that planes easily and holds max. 6 people. The slender shape and 16° hull angle ensure a low planing threshold. This promises speed. Buoyancy in hull sides, a self-bailer and, obviously enough, a 2.7 mm aluminium hull give you a feeling of security, even if you happen to run aground. Three-year guarantee.

Art. no. 530000



SPECS

Length	530 cm
	576 cm with bathing platform
Width	214 cm
Total height	178 cm
Weight	610 kg
Max. weight with motor	838 kg
Interior height	67 cm
Hull height	112 cm
Hull thickness	2.7 mm
Hull angle	16°
Rec. motor	70-100 hp (51-74.6 kW)
Max. motor power	100 hp (74.6 kW)
Control cable length	4.80 m
Steering cable length	4.80 m
	(hydraulic steering)
Shaft length	Long
Max. load	675 kg
Max. no. people	6
Approved bow eye	Insurance class 3
CE marked for category	C Inshore

STANDARD EQUIPMENT

- Double console with fitted door and hydraulic steering
- Garmin GPS UHD 92SV Plus w/o XDCR
- Garmin Sidevü GT52 transducer, adjustable transducer mount
- Two gas-sprung flip-up comfort seats (vertically and laterally adjustable)
- Self-bailer
- Automatic bilge pump
- Bow foredeck suitable for electric motor
- Toe rail with easy-to-grip grab rails in anodised aluminium
- Anti-slip aluminium floor grid
- Two seat covers
- Stern/rear seat (removable) with seat pads
- 10 stowage compartments, incl. 3 lockable, two removable stowage spaces in the bow and one in the stern
- Stern cover with integrated foldaway cover box
- Bow seat with integrated step
- Bathing platform with bathing ladder
- Fixed fuel tank, 67 litres
- Room for two removable tanks
- C-tec socket
- Deutsch connector
- USB/12 V power outlet
- Navigation lights with LEDs in bow and stern (removable)
- Main power switch with circuit breakers
- “Navalloy” anode for both fresh and salt water
- Front mooring shackle and rear mooring eye
- Manual pump
- 4 bollards
- Fire extinguisher
- Drain plug
- Securmark security marking
- DNV approval

ACCESSORIES

- Water ski pylon
- Console cover
- Sun/fishing deck
- Bow seat pads
- Sun deck seat pads
- Tube rod holder
- Trolling rod holder
- Rod holder
- Fishing lure holder, aluminium
- Mug holder
- Mooring package
- Securing kit with chain (2.5 m)



WE PRE-MOUNT RIGGING KIT
A Linder boat gives you the freedom to choose the motor supplier you prefer. In certain markets, the choice of motor may vary depending on the importer’s partners.



* BR stands for bow rider, a motor boat with a windscreen to protect people riding in the open bow. As regards hull shape, bow riders are most often day cruisers or hard tops.

ARKIP 460



CLASS WINNER – With sturdy toe rail, easy-to-grip grab rails, aluminium floor grid and ample passenger and stowage space, a planing, family boat for max. 5 people. Ideal for a large number of free time activities such as waterskiing and sea/lake fishing. Arkip 460 is also an excellent transport boat and is easy to trailer. Three-year guarantee.



Art. no. 460000

DNV-GL

SPECS		STANDARD EQUIPMENT	ACCESSORIES
Length	460 cm	- Steering console with windscreen	- Water ski pylon
Width	185 cm	- Garmin GPS UHD 92SV Plus w/o XDCR	- Left console
Total height	142 cm	- Garmin Sidevü GT52 transducer, adjustable transducer mount	- Console cover
Weight	292 kg	- Rod box, 150 cm	- Electric motor mount, stern
Max. weight with motor	475 kg	- Automatic bilge pump	- Sun/fishing deck
Interior height	60 cm	- Bow foredeck suitable for electric motor	- Stern seat pads
Hull height	80 cm	- Toe rail with easy-to-grip grab rails in anodised aluminium	- Bow seat pads
Hull thickness	2.4 mm	- Anti-slip aluminium floor grid	- Sun deck seat pads
Hull angle	12°	- Stern/rear seat	- Tube rod holder
Rec. motor	30-50 hp (22-38 kW)	- Bow seat	- Trolling rod holder
Max. motor power	50 hp (38 kW)	- 5 stowage compartments, incl. 3 lockable	- Rod holder
Control cable length	2.10 m	- Bathing ladder	- Fishing lure holder, aluminium
Steering cable length	2.70 m	- C-tec socket	- Mooring cover
Shaft length	Long	- 12 V power outlet	- Stern cover, single console
Max. load	525 kg	- Navigation lights with LEDs in bow and stern (removable)	- Stern cover, double console
Max. no. people	5	- Main power switch with circuit breakers	- Windbreak, double console
Approved bow eye	Insurance class 3	- "Navalloy" anode for both fresh and salt water	- Mug holder
CE marked for category	C Inshore	- Bow and stern mooring eyes	- Bow rail rowlock holder
		- 4 bollards	- Mooring package
		- Fire extinguisher	- Securing kit with chain (2.5 m)
		- Drain plug	- Rail bucket
		- Securmark security marking	
		- DNV approval	

WE PRE-MOUNT RIGGING KIT

A Linder boat gives you the freedom to choose the motor supplier you prefer. In certain markets, the choice of motor may vary depending on the importer's partners.



SPORTSMAN 445 CATCH





A planing, fishing boat for lakes, sea and max. 3 people. Equipped with fishing platform. In developing 445 Catch, we collaborated with experienced sports fishers. The boat even has provision for a remotely controlled electric motor in the bow. Today's electric motors are operated via a remote control on the wrist, the boat turning on a sixpence. Special electric drive mount in the stern. Three-year guarantee.


Art. no. 445000C

DNV-GL

SPECS		STANDARD EQUIPMENT	ACCESSORIES
Length	451 cm	- Steering console with windscreen	- Fishing chair (collapsible back, incl. column)
Width	175 cm	- Garmin GPS UHD 92SV Plus w/o XDCR	- Fishing deck mat
Total height	140 cm	- Garmin Sidevü GT52 transducer, adjustable transducer mount	- Electric motor mount, stern
Weight	252 kg	- Automatic bilge pump	- Stern seat pads
Max. weight with motor	397 kg	- Fishing rod box (step)	- Tube rod holder
Interior height	54 cm	- Fishing lure holder	- Trolling rod holder
Hull height	73 cm	- Fish ruler	- Rod holder
Hull thickness	2.0 mm	- Rod holder	- Fishing lure holder, aluminium
Hull angle	9°	- Bow foredeck suitable for electric motor	- Retrofit light set
Rec. motor	20-30 hp (14-23 kW)	- Toe rail with easy-to-grip grab rails in anodised aluminium	- Mooring cover
Max. motor power	30 hp (23 kW)	- Anti-slip aluminium floor grid	- Console cover
Control cable length	2.10 m	- Fishing chair mount	- Mug holder
Steering cable length	2.70 m	- 6 stowage compartments, incl. one lockable	- Bow rail rowlock holder
Shaft length	Long	- Rescue ladder	- Mooring package
Max. load	465 kg	- C-tec socket	- Securing kit with chain (2.5 m)
Max. no. people	3	- 12 V power outlet	- Rail bucket
Approved bow eye	Insurance class 3	- Main power switch with circuit breakers	
CE marked for category	C Inshore	- "Navalloy" anode for both fresh and salt water	
		- Bow and stern mooring eyes	
		- 4 bollards	
		- Drain plug	
		- Securmark security marking	
		- DNV approval	



SPORTSMAN 445 MAX



A planing, family boat, max. 4 people, suitable for sea/lake fishing as well as waterskiing. Stowage spaces in stern, midship seats and bow deck. 445 Max can also be equipped with a battery pack and, for example, a Torqeedo 10.0 kW electric drive (equivalent to a 20-hp petrol motor). Easy to trailer. Three-year guarantee.

Art. no. 445000M


DNV-GL

SPECS		STANDARD EQUIPMENT	ACCESSORIES
Length	451 cm	- Steering console with windscreen	- Fishing platform
Width	175 cm	- Garmin GPS UHD 92SV Plus w/o XDCR	- Electric motor mount, stern
Total height	140 cm	- Garmin Sidevü GT52 transducer, adjustable transducer mount	- Seat pads, complete set
Weight	227 kg	- Automatic bilge pump	- Tube rod holder
Max. weight with motor	372 kg	- Bow foredeck suitable for electric motor	- Trolling rod holder
Interior height	54 cm	- Toe rail with easy-to-grip grab rails in anodised aluminium	- Rod holder
Hull height	73 cm	- Anti-slip aluminium floor grid	- Fishing lure holder, aluminium
Hull thickness	2.0 mm	- Stern seat	- Retrofit light set
Hull angle	9°	- Midship seat	- Mooring cover
Rec. motor	20-30 hp (14-23 kW)	- Bow seat	- Console cover
Max. motor power	30 hp (23 kW)	- 4 stowage compartments, incl. 2 lockable	- Mug holder
Control cable length	1.80 m	- Rescue ladder	- Bow rail rowlock holder
Steering cable length	2.40 m	- 12 V power outlet	- Mooring package
Shaft length	Long	- Main power switch with circuit breakers	- Securing kit with chain (2.5 m)
Max. load	465 kg	- "Navalloy" anode for both fresh and salt water	- Rail bucket
Max. no. people	4	- Bow and stern mooring eyes	
Approved bow eye	Insurance class 3	- 4 bollards	
CE marked for category	C Inshore	- Drain plug	
		- Securmark security marking	
		- DNV approval	

WE PRE-MOUNT RIGGING KIT
A Linder boat gives you the freedom to choose the motor supplier you prefer. In certain markets, the choice of motor may vary depending on the importer's partners.



SPORTSMAN 445 BASIC



A planing motor boat suitable for day trips, sea/lake fishing and max. 4 people. Stowage space in the stern and midship seats. 445 Basic comes with aluminium oars. Easy to trailer. Three-year guarantee.

Art. no. 445000B

DNV-GL

SPECS		STANDARD EQUIPMENT	ACCESSORIES
Length	451 cm	- Anti-slip aluminium floor grid	- Fishing platform
Width	175 cm	- Automatic bilge pump	- Grab rail, bow pulpit rail
Weight	189 kg	- Bow foredeck suitable for electric motor	- Electric motor mount, stern
Max. weight with motor	319 kg	- 9' aluminium oars	- Seat pads, complete set
Interior height	54 cm	- Oar blade holder	- Tube rod holder
Hull height	73 cm	- Articulated rowlock	- Trolling rod holder
Hull thickness	2.0 mm	- Stern seat	- Fishing lure holder, aluminium
Hull angle	9°	- Midship seat	- Sonar transducer mount, adjustable
Rec. motor	10-20 hp (7-15 kW)	- Bow seat	- Rail
Max. motor power	20 hp (15 kW)	- 4 lockable stowage compartments	- Retrofit light set
Shaft length	Long	- Rescue ladder	- Mooring cover
Max. load	484 kg	- "Navalloy" anode for both fresh and salt water	- Mooring package
Max. no. people	4	- Bow and stern mooring eyes	- Securing kit with chain (2.5 m)
Approved bow eye	Insurance class 3	- 4 bollards	- Rail bucket
CE marked for category	C Inshore	- Drain plug	
		- Securmark security marking	
		- DNV approval	



SPORTSMAN 400



A planing, family boat for lakes, skerries, coastal waters and max. 4 people. With a steering console, the Sportsman 400 is also appropriate for waterskiing (lighter people). Easy to trailer. Three-year guarantee.

Art. no. 400000

DNV-GL		
SPECS		STANDARD EQUIPMENT
Length	401 cm	- 9' aluminium oars
Width	164 cm	- Oar blade holder
Weight	125 kg	- Articulated rowlock
Max. weight with motor	271 kg	- Stern seat
Interior height	60 cm	- Midship seat
Hull height	63 cm	- Bow seat
Hull thickness	1.8 mm	- Two lockable stowage compartments
Hull angle	8°	- Rescue ladder
Rec. motor	6-10 hp (4-8 kW)	- "Navalloy" anode for both fresh and salt water
with steering console	15-20 hp (11-15 kW)	- Bow and stern mooring eyes
Max. motor power	20 hp (15 kW)	- Drain plug
Control cable length (Side console)	1.80 m	- Securmark security marking
Control cable length (Mid console)	2.70 m	- DNV approval
Steering cable length (Side console)	2.40 m	
Steering cable length (Mid console)	3.30 m	
Shaft length	Long	
Max. load	420 kg	
Max. no. people	4	
Approved bow eye	Insurance class 3	
CE marked for category	D Sheltered waters	
		ACCESSORIES
		- Steering console
		- Steering console windscreen
		- Bow foredeck for electric motor
		- Electric motor mount, stern
		- Grab rail, bow pulpit rail
		- Aluminium flooring
		- Wooden flooring
		- Tube rod holder
		- Trolling rod holder
		- Fishing lure holder, aluminium
		- Sonar transducer mount, adjustable
		- Rail
		- Retrofit light set
		- Mooring cover
		- Mooring package
		- Securing kit with chain (2.5 m)
		- Bollard
		- Automatic bilge pump
		- Smart wave/Länsman bilge pump
		- Rail bucket




SPORTSMAN 355



A planing motor boat for lakes, small/larger rivers and max. 3 people. Also suitable for young people. Thanks to its seaworthiness and manoeuvrability, the Sportsman 355 can advantageously be used as a rescue boat. Easy to trailer. Three-year guarantee.

Art. no. 355000

DNV-GL		
SPECS		STANDARD EQUIPMENT
Length	355 cm	- 8' aluminium oars
Width	146 cm	- Oar blade holder
Weight	84 kg	- Articulated rowlock
Max. weight with motor	157 kg	- Stern seat
Interior height	51 cm	- Midship seat
Hull height	54 cm	- Bow seat
Hull thickness	1.7 mm	- Rescue ladder
Hull angle	2°	- Bow and stern mooring eyes
Rec. motor	6-8 hp (4-6 kW)	- Drain plug
Max. motor power	8 hp (6 kW)	- Securmark security marking
Shaft length	Short	- DNV approval
Max. load	320 kg	
Max. no. people	3	
Approved bow eye	Insurance class 3	
CE marked for category	D Sheltered waters	
		ACCESSORIES
		- Electric motor mount, stern
		- Grab rail, bow pulpit rail
		- Aluminium flooring
		- Wooden flooring
		- Tube rod holder
		- Trolling rod holder
		- Fishing lure holder, aluminium
		- Sonar transducer mount, adjustable
		- Retrofit light set
		- Mooring cover
		- Anode kit
		- Mooring package
		- Securing kit with chain (2.5 m)
		- Bollard
		- Smart wave/Länsman bilge pump
		- Rail bucket



FISHING 440




BEST SELLER – A light but stable, clinker-built rowboat that is ideal for lakes, skerries, coastal waters and max. 4 people. Fishing 440 has the market’s lowest petrol consumption – 0.11 litres per sea mile with one person at seven knots. Can advantageously be equipped with our solar cell unit. Easy to row. Easy to trailer. Three-year guarantee. Art. no. 440000

DNV-GL

SPECS		STANDARD EQUIPMENT	ACCESSORIES
Length	431 cm	- 9' aluminium oars	- Solar cell pack
Width	164 cm	- Oar blade holder	- Electric motor mount, stern
Weight	94 kg	- Safety rowlock	- Grab rail, bow pulpit rail
Max. weight with motor	139 kg	- Stern seat	- Wooden flooring
Interior height	54 cm	- Midship seat	- Tube rod holder
Hull height	60 cm	- Bow seat	- Trolling rod holder
Hull thickness	1.7 mm	- Two lockable stowage compartments	- Fishing lure holder, aluminium
Rec. motor	2.5-5 hp (1.8-4 kW)	- Rescue ladder	- Sonar transducer mount, adjustable
Max. motor power	5 hp (4 kW)	- Bow and stern mooring eyes	- Retrofit light set
Shaft length	Short	- Drain plug	- Tiller extender/telescopic outboard motor handle
Max. load	400 kg	- Securmark security marking	- Mooring cover
Max. no. people	4	- DNV approval	- Anode kit
Approved bow eye	Insurance class 3		- Mooring package
CE marked for category	D Sheltered waters		- Securing kit with chain (2.5 m)
			- Bollard
			- Automatic bilge pump
			- Smart wave/Länsman bilge pump
			- Rail bucket



FISHING 410



A light, clinker-built rowboat for lakes and max. 3 people. Simple for one person to launch and retrieve. Fuss-free transport between lakes. Easy to row. Easy to trailer. Three-year guarantee. Art. no. 410000

DNV-GL

SPECS		STANDARD EQUIPMENT	ACCESSORIES
Length	403 cm	- 8.5' aluminium oars	- Electric motor mount, stern
Width	156 cm	- Oar blade holder	- Grab rail, bow pulpit rail
Weight	75 kg	- Safety rowlock	- Wooden flooring
Max. weight with motor	97 kg	- Stern seat	- Tube rod holder
Interior height	57 cm	- Midship seat	- Trolling rod holder
Hull height	63 cm	- Bow seat	- Fishing lure holder, aluminium
Hull thickness	1.7 mm	- Rescue ladder	- Sonar transducer mount, adjustable
Rec. motor	2.5-3.5 hp (1.8-2.7 kW)	- Bow and stern mooring eyes	- Retrofit light set
Max. motor power	3.5 hp (2.7 kW)	- Drain plug	- Tiller extender/telescopic outboard motor handle
Shaft length	Short	- Securmark security marking	- Mooring cover
Max. load	300 kg	- DNV approval	- Anode kit
Max. no. people	3		- Mooring package
Approved bow eye	Insurance class 3		- Securing kit with chain (2.5 m)
CE marked for category	D Sheltered waters		- Bollard
			- Smart wave/Länsman bilge pump
			- Rail bucket






RECOMMENDED MOTORS

		ARKIP 530 BR	ARKIP 460	SPORTSMAN 445 CATCH	SPORTSMAN 445 MAX	SPORTSMAN 445 BASIC	SPORTSMAN 400	SPORTSMAN 355	FISHING 440	FISHING 410
Electric drive Yamaha M12	Full power								3 knots	3 knots
	Reduced power approx. 20-25%								2 knots	2 knots
Electric drive Yamaha M26	Full power								4 knots	4 knots
	Reduced power approx.20-25%								3 knots	3 knots
2.5 hp	1 person								7 knots ¹⁾	8 knots 4,800 rpm ¹⁾
	2 people								6 knots ¹⁾	5 knots 4,900 rpm ¹⁾
Electric drive Torqeedo 1103 CS	Full power								5 knots ²⁾	
	Reduced power approx. 20-25%								3 knots ²⁾	
4 hp	1 person								9 knots 5,100 rpm ¹⁾	
	2 people								8 knots 4,200 rpm ¹⁾	
5 hp	1 person								11 knots 5,500 rpm ¹⁾	
	2 people								8 knots 5,400 rpm ¹⁾	
6 hp	1 person						17 knots 5,600 rpm	15 knots 5,700 rpm		
	2 people						13 knots 5,200 rpm	11 knots 5,300 rpm		
8 hp	1 person						19 knots 5,600 rpm	19 knots 5,700 rpm		
	2 people						16 knots 5,200 rpm	16 knots 5,300 rpm		
10 hp	1 person					18 knots 5,800 rpm ¹⁾	21 knots 5,600 rpm			
	2 people					15 knots 5,450 rpm ¹⁾	18 knots 5,400 rpm			
15 hp	1 person					22 knots 6,100 rpm ¹⁾	24 knots 5,800 rpm ³⁾			
	2 people					19 knots 5,600 rpm	22 knots 5,700 rpm ³⁾			
Electric drive Torqeedo 10.0	1 person				17 knots ²⁾					
	2 people				15 knots ²⁾					
20 hp	1 person					24 knots 6,100 rpm ¹⁾	25 knots 6,000 rpm ³⁾			
	2 people			19 knots 5,500 rpm	20 knots 5,500 rpm	22 knots 5,700 rpm	24 knots 5,600 rpm ³⁾			
	4 people			16 knots 5,300 rpm	17 knots 5,300 rpm	18 knots 5,500 rpm				
25 hp	2 people			24 knots 5,800 rpm ¹⁾	25 knots 5,950 rpm ¹⁾					
	4 people			21 knots 5,500 rpm ¹⁾	23 knots 5,700 rpm ¹⁾					
30 hp	1 person			27 knots 5,900 rpm ¹⁾	26 knots 6,200 rpm					
	2 people		26 knots 6,100 rpm ¹⁾	25 knots 5,700 rpm ¹⁾	25 knots 6,100 rpm					
	4 people		25 knots 6,000 rpm ¹⁾		24 knots 5,300 rpm					
40 hp	2 people		30 knots 5,700 rpm ¹⁾							
	4 people		28 knots 5,300 rpm ¹⁾							
50 hp	2 people		32 knots 5,800 rpm ¹⁾							
	4 people		30 knots 5,400 rpm ¹⁾							
80 hp	2 people	33 knots 5,300 rpm ¹⁾								
	4 people	32 knots 5,300 rpm ¹⁾								
100 hp	2 people	38 knots 5,300 rpm								
	4 people	35 knots 5,300 rpm								




BOAT DATA

	ARKIP 530 BR	ARKIP 460	SPORTSMAN 445 CATCH	SPORTSMAN 445 MAX	SPORTSMAN 445 BASIC	SPORTSMAN 400	SPORTSMAN 355	FISHING 440***	FISHING 410
LENGTH	530 cm (576 cm with bathing platform)	460 cm	451 cm	451 cm	451 cm	401 cm	355 cm	431 cm	403 cm
WIDTH	214 cm	185 cm	175 cm	175 cm	175 cm	164 cm	146 cm	164 cm	156 cm
TOTAL HEIGHT	178 cm	142 cm	140 cm	140 cm	77 cm	63 cm	54 cm	60 cm	63 cm
WEIGHT	610 kg	292 kg	252 kg	227 kg	189 kg	125 kg	84 kg	94 kg	75 kg
MAX. WEIGHT WITH MOTOR	838 kg	475 kg	397 kg	372 kg	319 kg	271 kg*	157 kg	139 kg	97 kg
INTERIOR HEIGHT	67 cm	60 cm	54 cm	54 cm	54 cm	60 cm	51 cm	54 cm	57 cm
HULL HEIGHT	112 cm	80 cm	73 cm	73 cm	73 cm	63 cm	54 cm	60 cm	63 cm
HULL THICKNESS	2.7 mm	2.4 mm	2.0 mm	2.0 mm	2.0 mm	1.8 mm	1.7 mm	1.7 mm	1.7 mm
HULL ANGLE	16°	12°	9°	9°	9°	8°	2°	—	—
REC. MOTOR	70-100 hp (51-74.6 kW)	30-50 hp (22-38 kW)	20-30 hp (14-23 kW)	20-30 hp (14-23 kW)	10-20 hp (7-15 kW)	6-10 hp (4-8 kW) 15-20 hp (11-15 kW)**	6-8 hp (4-6 kW)	2.5-5 hp (1.8-4 kW)	2.5-3.5 hp (1.8-2.7 kW)
REC. TORQUEEDO ELECTRIC DRIVE				E.g Torqeedo Cruise 10.0 R (10.0 kW)				E.g Torqeedo Travel 11103 CS (1,100 W)	
MAX. MOTOR POWER	100 hp (74.6 kW)	50 hp (38 kW)	30 hp (23 kW)	30 hp (23 kW)	20 hp (15 kW)	20 hp (15 kW)	8 hp (6 kW)	5 hp (4 kW)	3.5 hp (2.7 kW)
CONTROL CABLE LENGTH	4.80 m	2.10 m	2.10 m	1.80 m		Side console 1.80 m Mid console 2.70 m			
STEERING CABLE LENGTH	4.80 m (hydraulic steering)	2.70 m	2.70 m	2.40 m		Side console 2.40 m Mid console 3.30 m			
SHAFT LENGTH	Long	Long	Long	Long	Long	Long	Short	Short	Short
MAX. LOAD	675 kg	525 kg	465 kg	465 kg	484 kg	420 kg	320 kg	400 kg	300 kg
MAX. NO. PEOPLE	6	5	3	4	4	4	3	4	3
APPROVED BOW EYE	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3	Insurance class 3
CE MARKED FOR CATEGORY	C — Inshore	C — Inshore	C — Inshore	C — Inshore	C — Inshore	D — Sheltered waters	D — Sheltered waters	D — Sheltered waters	D — Sheltered waters
MAX. SPEED	2 people, 100 hp motor gives approx. 38 knots	2 people, 50 hp motor gives approx. 32 knots	2 people, 30 hp motor gives approx. 25 knots	1 person, 30 hp motor gives approx. 26 knots	1 person, 20 hp motor gives approx. 24 knots	1 person, 20 hp motor gives approx. 25 knots	1 person, 8 hp motor gives approx. 19 knots	1 person, 5 hp motor gives approx. 11 knots	1 person, 2 hp motor gives approx. 8 knots
STANDARD EQUIPMENT	9-inch GPS/sonar, double console with door, gas-sprung flip-up comfort seats (vertically and laterally adjust- able), fixed tank (67 l), hydraulic steering, self-bailer, integrated step, stern seat pads, foldaway cover with box, automatic bilge pump, lights, rail, grab rails, bathing ladder, bathing platform, anti-slip aluminium flooring, bollard, sacrificial anode, fire extinguisher, drain plug, Securmark security marking	9-inch GPS/sonar, automatic bilge pump, light, railing, grab rails, bathing ladder, anti-slip aluminium flooring, bollard, sacrificial anode, fire extinguisher, drain plug, Securmark security marking	9-inch GPS/sonar, fishing lure holder, fishing chair mount, bow fore deck, railing, grab rail, automatic bilge pump, rescue ladder, rod holder, wide aluminium flooring, bollard, sacrificial anode, drain plug, Securmark security marking	9-inch GPS/sonar, bow fore deck, railing, grab rails, automatic bilge pump, bathing ladder, wide aluminium flooring, bollard, sacrificial anode, drain plug, Securmark security marking	Bow fore deck, aluminium oars, automatic bilge pump, bathing ladder, aluminium flooring, rowlock, oar blade holder, sacrificial anode, drain plug, Securmark security marking	Aluminium oars, rescue ladder, rowlock, oar blade holder, drain plug, Securmark security marking	Aluminium oars, rescue ladder, rowlock, oar blade holder, drain plug, Securmark security marking	Aluminium oars, rescue ladder, rowlock, oar blade holder, drain plug, Securmark security marking	Aluminium oars, rescue ladder, rowlock, oar blade holder, drain plug, Securmark security marking



ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
1	"NAVALLOY" ANODE KIT Suitable for both fresh and salt water. Art. no. 712740	•	•	•	•	•	•	•	•	•
2	BOAT CART (MAX. LOAD 150 KG) Robust, aluminium design. Wheels have ball bearings and solid tyres. Art. no. 405000						•	•	•	
3	RAIL MOUNT Mount suitable for GPS, trolling rod holder, downrigger, etc. Art. no. 712000	•	•	•	•	•	•	•	•	•
4	WOODEN FLOORING Art. no. 619355 Art. no. 619401 (From 2007) Art. no. 619400 (Up to 2006) Art. no. 619410 Art. no. 619440					•	•		•	

		530BR	460	445B	445M	445C	400	355	440	410
5	ALUMINIUM FLOORING Art. no. 610355 Art. no. 610400						•	•		
6	DRAIN PLUG (STANDARD) Art. no. 621000	•	•	•	•	•	•	•	•	•
7	ELECTRIC MOTOR MOUNT (For aluminium motor plate.) Art. no. 712009 Art. no. 712010 Does not fit with water ski pylon Arkip 460. Art. no. 712011 (If combining with fishing chair)		•	•	•	•	•	•	•	•
8	FISHING LURE HOLDER, ALUMINIUM Art. no. 211074 (Standard on 445 Catch)	•	•	•	•	•	•	•	•	•




ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
9	FISHING PLATFORM Made of aluminium/chequered plate with hatches. (Can be used with fishing chair.) Art. no. 712026			•	•					
10	FISHING CHAIR, COLLAPSIBLE BACK Includes chair column and base. Fits 530 BR, 460, 445 Basic and 445 Max with fishing platform/deck and fishing chair mount. Art. no. 719003	•	•	•	•	•				
11	FISHING CHAIR MOUNT Can be fitted in the fishing platform/deck that is an accessory for 530 BR, 460, 445 Basic and 445 Max. Art. no. 719004	•	•	•	•					
12	BOW DECK For stowing rope ends and anchor. Also serves as a fishing platform (standard on 445 Max as of 2014). Art. no. 712020 Not suitable for combining with bow electric motor or seat pads (complete set).			•	•					

		530BR	460	445B	445M	445C	400	355	440	410
13	BOW DECK FOR ELECTRIC MOTOR, 445 B/M Made of aluminium/chequered plate. Includes electric motor mounting plate. Fits 445 Basic up to 2019 (standard as of 2020) Fits 445 Max up to 2013 (standard as of 2014) Art. no. 712021			•	•					
14	BOW DECK FOR ELECTRIC MOTOR, 400 Made of aluminium/chequered plate. For bow mounting of electric motor. Includes aluminium, electric motor mounting plate. Art. no. 712022						•			
15	SONAR TRANSDUCER MOUNT Aluminium. Adjustable. Height: 280 mm, width: 80 mm. Mounts on transom. Art. no. 712008	•	•	•	•	•	•	•	•	•



ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
1	BOW GRAB RAIL/"SHARK FIN" Width: 37 cm. Height: 46 cm. Art. no. 628000			•		•	•	•	•	
2	BLUE, PLASTIC HANDLE (STANDARD) Art. no. 811269			•		•	•	•	•	
3	SPRAY COVER, DRIVABLE Max. speed with car 30 kph. Grey acrylic fabric. Art. no. 302445				•					
4	SINGLE CONSOLE STERN COVER, DRIVABLE Max. speed with car 30 kph. Grey acrylic fabric. Art. no. 302460 (From 2015) Art. no. 302471 (Up to 2014) Does not fit with left-hand console or water ski pylon.		• •							

		530BR	460	445B	445M	445C	400	355	440	410
5	DOUBLE CONSOLE STERN COVER, DRIVABLE Max. speed with car 30 kph. Grey acrylic fabric. Art. no. 302462 (From 2015) Art. no. 302470 (Up to 2014) Does not fit with water ski pylon.			• •						
6	BASIC COVER, MOORING, GREY POLYESTER Art. no. 302446 Art. no. 302356 Art. no. 302401 Art. no. 302411 Art. no. 302441				• • •		•			•
7	BASIC COVER, MOORING, GREY POLYESTER Art. no. 302461 Does not fit with water ski pylon.		•						•	



ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
8	NAVIGATION LIGHT SET Light set, LEDs. For retrofitting to small motor boats. Battery-powered. 1 white all-around light (for stern fitting). 1 green/red/white (for bow fitting). 1 telescopic stand, 100 cm. 1 stand mount. Acid-resistant stainless steel screws included. Art. no. 712800									
9	SECURITY KIT (Insurance class 3 padlock with 2.5 m chain & sleeve.) Art. no. 626000	•	•	•	•	•	•	•	•	•
10	LÄNSMAN BILGE PUMP Automatic bilge pump that fits on the mooring line. Easy to install. Practical to take along. Locks into place. Can pump out up to 2,500 litres a day. Art. no. 606600	•	•	•	•	•	•	•	•	•

		530BR	460	445B	445M	445C	400	355	440	410
11	ELECTRIC BILGE PUMP SET For boats with steering console 717400. Includes: Automatic bilge pump, cable trunk, mounting plate and contact breaker for the steering console. Art. no. 718000						•			
12	ELECTRIC BILGE PUMP SET For boats without steering console. Includes: Automatic bilge pump, cable trunk, mounting plate and contact breaker. Art. no. 718001						•			
13	ELECTRIC BILGE PUMP SET Includes: Automatic bilge pump, cable trunk, mounting plate and contact breaker. Art. no. 718002									
14	BILGE PUMP – SMART, WAVE-OPERATED To get water out of the boat, simply hang the pump over the side (pump body floating on the water). Wave action then operates the pump. Art. no. 606500	•	•	•	•	•	•	•	•	•






ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
1	FISHING DECK MAT 6 mm thick polypropylene, UV resistant and draining. Art. no. 627500					•				
2	MUG HOLDER 2 pack, grey plastic. Art. no. 712650	•	•	•	•					
3	BOLLARD FOR RETROFITTING Anodised aluminium, 165 mm. Art. no. 623020						•	•	•	•
4	CONSOLE 460, LEFT-HAND Art. no. 714460 (From 2015) Art. no. 714461 (Up to 2014)	•	•							

		530BR	460	445B	445M	445C	400	355	440	410
5	CONSOLE COVER Grey acrylic fabric. For right-hand console. Art. no. 302464 (From 2015) Art. no. 302467 (Up to 2014) For left-hand console. Art. no. 302466 (From 2015) Art. no. 302468 (Up to 2014)	•	•	•	•					
6	RAIL BUCKET, 15 LITRES Steel-blue, plastic bucket with handle and steel hanger for hooking on the rail. Art. no. 622000	•	•	•	•	•	•	•	•	•
7	RAIL Grip-friendly rail for mounting of accessories. Easy to retrofit. Set of four parts. Aluminium. Art. no. 712030			•		•				

ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
8	RESCUE LADDER (RETROFIT) Foldaway, aluminium rescue ladder. Art. no. 712730 Art. no. 712720 Art. no. 712710 Art. no. 712700					•		•	•	•
9	SEAT PADS, STERN Stern seat pads. Art. no. 627446				•					
10	STERN SEAT PAD SET - Back pad - Side pad, starboard - Centre pad - Side pad, port Art. no. 627460	•								

		530BR	460	445B	445M	445C	400	355	440	410
11	BOW SEAT PAD SET - Side pad, starboard - Side pad, port - Bow seat pads and back pad Art. no. 627530	•								
12	BOW SEAT PAD SET - Side pad, starboard - Pad, bow - Side pad, port Art. no. 627461	•								
13	SEAT PADS, COMPLETE SET - Stern seat pads - Midship seat pads - Bow seat pad Not suitable for combining with bow stowage deck, art. no. 712020. Art. no. 627445		•	•						



ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
1	COMBINED SUN/FISHING DECK, 460 In chequered plate. Can be combined with fishing chair. Art. no. 712025	•								
2	SEAT PAD FOR SUN/FISHING DECK, 460 Art. no. 627462	•								
3	COMBINED SUN/FISHING DECK, 530 BR In chequered plate. Can be combined with fishing chair. Art. no. 712027	•								
4	SEAT PAD FOR SUN/FISHING DECK, 530 BR Art. no. 627531	•								

		530BR	460	445B	445M	445C	400	355	440	410
5	SOLAR CELL PACKAGE 1 marine solar panel, 35 W (2A) 1 charge regulator 1 battery box Cables, screws and mounts for the solar panel. Art. no. 712900								•	
6	RATCHET STRAP, 3.5 M, STAINLESS STEEL Grey polyester with stainless steel ratchet. Breaking strength 2,500 kg. Art. no. 612500	•	•	•	•	•	•	•	•	•
7	RATCHET STRAP, 5.5 M Blue polypropylene (with ratchet). Breaking strength 500 kg. Art. no. 612000	•	•	•	•	•	•	•	•	•
8	TUBE ROD HOLDER, ALUMINIUM Blue aluminium. Holds the rod in place when fishing. Fits on boat rail. Art. no. 623400	•	•	•	•					


ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
9	THREE-TUBE ROD HOLDER, PLASTIC Black plastic with 3 holders. Standard on 445 Catch. Art. no. 623000	•	•	•	•	•	•	•	•	•
10	MOUNT FOR TUBE ROD HOLDER Mount for tube rod holder (fits to hull). Standard on 445 Catch. Art. no. 623010	•	•	•	•	•	•	•	•	•
11	TROLLING ROD HOLDER Holds the rod in place when fishing. Can be mounted and adjusted many ways. Easy to assemble. Art. no. 623100	•	•	•	•	•	•	•	•	•
12	LINDER MOORING PACKAGE SMALL Contains: 4 fenders navy blue (diameter 130 mm, length 370 mm), 4 fenders protection, 4 ropes for fender, 1 anchor 3.5 kg, 1 anchor line 35 m, 2 mooring ropes 6 m, 1 bailer, 1 piece sponge. Art. no. 625000	•	•	•	•	•	•	•	•	•

		530BR	460	445B	445M	445C	400	355	440	410
13	LINDER MOORING PACKAGE LARGE Contains: 4 pcs fender large navy blue (diameter 130 mm, length 560 mm), 4 pcs fender protection, 4 pcs rope for fender, 1 pcs anchor 7.5 kg, 1 pcs anchor line 40 m, 4 pcs mooring line 6 m. Art. no. 627000	•	•							
14	STEERING CONSOLE, CENTRE Mounts on reinforcing profiles. Art. no. 715400						•			
15	STEERING CONSOLE, RIGHT-HAND, FROM 2007 Mounts to gunwale and reinforcing profile. Space for battery and box inside the console. Art. no. 717400					•				
16	TELESCOPIC OUTBOARD MOTOR HANDLE For better trim when alone in the boat, it is advisable to sit on the centre seat. Length: 700–1,200 mm. Art. no. 620000								•	•



ACCESSORIES		530BR	460	445B	445M	445C	400	355	440	410
1	WATER SKI PYLON The pylon is easy to remove. The mounts remain on the boat. Art. no. 712530	•								
2	WATER SKI PYLON Art. no. 712500 <i>Cannot be combined with electric motor mount/cover harbour</i>		•							
3	WINDSCREEN FOR SIDE CONSOLE, FROM 2007 Transparent polycarbonate, 5 mm thick. Fits steering console, art. no. 717400. Art. no. 717401						•			


		530BR	460	445B	445M	445C	400	355	440	410
4	WINDSCREEN FOR STEERING CONSOLE, FROM 2007 Transparent polycarbonate, 5 mm thick. Fits steering console, art. no. 715400. Art. no. 714403						•			
5	WINDBREAK FOR DOUBLE CONSOLE Grey acrylic fabric. Art. no. 302463 (From 2015) Art. no. 302469 (Up to 2014)		•							
			•							
6	BAILER In orange plastic. Art. no. 604000	•	•	•	•	•	•	•	•	•



OARS		530BR	460	445B	445M	445C	400	355	440	410
7	ARTICULATED ROWLOCK (STANDARD) In aluminium. Suitable for aluminium and wooden oars. Art. no. 711250 ¹⁾			•			•	•	•	•
8	OAR BLADE HOLDER (STANDARD) To hold oar in place. Polyethylene foam. Art. no. 711605 ¹⁾			•			•	•	•	•
9	ALUMINIUM ROWLOCK Fitted to oar and then inserted in rowlock mount (which is fitted to the boat). Cannot be combined with aluminium oars. Art. no. 112001 ¹⁾			•			•	•	•	•
10	ROWLOCK / RAIL ROWLOCK MOUNT Cannot be combined with aluminium oars. Art. no. 810819 ¹⁾ Rowlock. Art. no. 711004 ¹⁾ Rail rowlock mount.		•		•	•				
			•		•	•				
11	ANGLED ROWLOCK MOUNT Standard in Linder boats. In aluminium. Fits safety or standard rowlock. Art. no. 711001 ¹⁾			•			•	•	•	•
12	BLACK PLASTIC BUSHING FOR ROWLOCK MOUNT Art. no. 711003 ¹⁾ Standard. Art. no. 711608 ¹⁾ Nov 2004 – Oct 2007.			•			•	•	•	•
			•				•	•	•	•

		530BR	460	445B	445M	445C	400	355	440	410
13	OAR SLEEVE Protects oar from wear. Art. no. 112010 ¹⁾			•			•	•	•	•
14	ALUMINIUM OARS With plastic blade and handle. (Rowlock not included). Art. no. 113070 ²⁾ 7 foot (2.1 m) Art. no. 113080 ²⁾ 8 foot (2.4 m) Art. no. 113085 ²⁾ 8.5 foot (2.55 m) Art. no. 113090 ²⁾ 9 foot (2.7 m) Art. no. 113100 ²⁾ 10 foot (3.0 m)							•		•
			•			•			•	
15	OARS Oars are made of laminated, glued, pine. (Rowlock not included). Art. no. 115050 ²⁾ 5 foot (1.5 m) Art. no. 115060 ²⁾ 6 foot (1.8 m) Art. no. 115070 ²⁾ 7 foot (2.1 m) Art. no. 115080 ²⁾ 8 foot (2.4 m) Art. no. 115085 ²⁾ 8.5 foot (2.55 m) Art. no. 115090 ²⁾ 9 foot (2.7 m)* Art. no. 115100 ²⁾ 10 foot (3.0 m) Art. no. 115110 ²⁾ 11 foot (3.3 m) Art. no. 115120 ²⁾ 12 foot (3.6 m) <i>*Applies to 460 and 445M with rowlock mount fitted to rail.</i>							•		•
			•	•	•	•	•		•	

ALUMINIUM CANOES



INKAS 465L A light and versatile canoe for two people, lakes and rivers. Highly manoeuvrable and perfect even for one person. Simple to load onto a car roof. Suitable for private use. Unsinkable. Three-year guarantee.
Art. no. 465200



INKAS 465 A light and versatile canoe for two people, lakes and rivers. Simple to load onto a car roof. Highly manoeuvrable. Perfect for private use, young people and daily rental. Unsinkable. Three-year guarantee.
Art. no. 465000





INKAS 495 Just the right size for two people with plenty of gear. Suitable for weekend trips and rental. Unsinkable. Three-year guarantee.
Art. no. 495000




INKAS 525 The only canoe approved for three people. From stable family-canoe to adventure-canoe, Inkas 525 can be used on the sea and in rivers. Suitable as week-long rental canoe with plenty of room for gear. Unsinkable. Three-year guarantee.
Art. no. 525000



	LENGTH (cm)	WIDTH (cm)	WEIGHT (kg)	BOW/STERN HEIGHT (cm)	LOAD CAPACITY (kg)	MAX. NO. PEOPLE	HULL THICKNESS (mm)
INKAS 525	525	90	38	35	400	3	1.25
INKAS 495	495	90	36	33	400	2	1.25
INKAS 465	465	85	33	33	340	2	1.25
INKAS 465L	465	85	28	33	340	2	1



ACCESSORIES		525	495	465	465L			525	495	465	465L
1	INKAS STRAP, 3.5 M With buckle. Art. no. 612350	•	•	•	•	5	KNEE/SEAT PAD Black, heat-retaining polyethylene foam. 50 x 25 x 2 cm. Art. no. 606000	•	•	•	•
2	BICYCLE CANOE TOWBAR Specially designed towing device. Complete with bicycle bracket. Art. no. 711525	•	•	•	•	6	CANOE MOORING SHACKLE Art. no. 612360	•	•	•	•
3	INKAS CANOE CART Strong aluminium design. Solid tyres and fixed bearings. Weight: 6 kg. Load capacity: 100 kg. Art. no. 406000	•	•	•	•	7	MOTOR MOUNT In aluminium with plate in wood. Suitable for electric motors. Art. no. 605525	•	•	•	•
4	INKAS CANOE CART, COLLAPSIBLE Strong aluminium design. Solid tyres and fixed bearings. Weight: 6 kg. Load capacity: 100 kg. Art. no. 407000	•	•	•	•	8	PACK SACK (59 LITRES) Watertight pack sack with carrying handle. Easy to close. Art. no. 609000	•	•	•	•
						9	PACK BIN (60 LITRES) With sealing lid and handle. Art. no. 610000	•	•	•	•



ACCESSORIES		525	495	465	465L
1	PONTOONS Inflatable pontoons for extra stability (fishing, disabled, etc.). Length: 1,370 mm. Diameter: 220 mm. Art. no. 706525	•	•	•	•
2	ROWING RIG Easily mounted on the rail. Rowlock and oars are additional. 9-foot oars are recommended. Weight 5 kg. Art. no. 707525	•	•	•	•
3	BACK SUPPORT Plywood and steel tube (painted grey) backrest. Attaches to seat. Sit more comfortably! Art. no. 605000	•	•	•	•
4	SAIL EQUIPMENT Pram sail (3.5 m²) and complete rigging. Art. no. 708525	•	•	•	•

		525	495	465	465L
5	REMOVABLE SEAT With insulated seat pads. To be hung on the cross support. Seat height 20 cm. Art. no. 700200	•	•	•	•
6	SEAT Art. no. 700104 Aluminium seat, no. 3 Art. no. 700106 Aluminium seat, no. 3 Art. no. 700105 Aluminium seat, no. 4	•	•	•	•



PADDLE		525	495	465	465L
7	INKAS PLASTIC PADDLE WITH ALUMINIUM HANDLE Blade and knob of strong polypropene. Blade width: 200 mm. Weight: approx. 850 g. Art. no. 114130 130 cm Art. no. 114140 140 cm Art. no. 114150 150 cm Art. no. 114160 160 cm Art. no. 114170 170 cm Art. no. 114180 180 cm	•	•	•	•
8	INKAS WOODEN PADDLE Manufactured from very high quality fir. Blade width: 150 mm. Weight: approx. 850 g. Art. no. 104100 100 cm Art. no. 104125 125 cm Art. no. 104140 140 cm Art. no. 104150 150 cm Art. no. 104160 160 cm Art. no. 104170 170 cm Art. no. 104180 180 cm	•	•	•	•
9	INKAS DOUBLE PADDLE, DIVISIBLE Art. no. 109225 225 cm Art. no. 109240 240 cm	•	•	•	•
10	DRIP RING Art. no. 111000	•	•	•	•

LIFE JACKETS	
11	INKAS CANOE JACKET For swimmers using Canadian canoes. CE approved. Comfortable and hard-wearing. Art. no. 201030 30–50 kg Art. no. 201050 50–70 kg Art. no. 201090 70 kg upwards
12	INKAS CANOE JACKET (ORANGE) For swimmers using Canadian canoes. CE approved. Comfortable and hard-wearing. Art. no. 201100 40–130 kg
13	BALTIC LIFE JACKET For non-swimmers and swimmers in coastal/inland waters. CE approved. Good fit. With split front for greater mobility and comfort. Art. no. 205010 3–10 kg Art. no. 205015 10–20 kg Art. no. 205030 15–30 kg Art. no. 205040 30–40 kg Art. no. 205050 40–50 kg Art. no. 205070 50–70 kg Art. no. 205090 70–100 kg Art. no. 205100 100 kg upwards
14	LINDER BUOYANCY AID For swimmers. CE approved. Convenient to use. With split front for greater mobility and comfort. Art. no. 206051 30–50 kg Art. no. 206071 50–70 kg Art. no. 206091 70–90 kg Art. no. 206101 90 kg upwards
15	INFLATABLE, LINDER LIFE JACKET Baltic Argus Pro. Blue. Buoyancy: 150 N. For annual inspection and maintenance, see www.baltic.se Art. no. 201200 40–150 kg



Aluminium boats



EVERYTHING ABOUT OUR BOATS www.linder.se

Visit www.linder.se
for lots more information,
accessories and good advice.

Linder Aluminiumbåtar AB
Kanotleden 5
SE-362 32 Tingsryd
Sweden

Tel. +46 477 190 00
Email: info@linder.se
www.linder.se